


REV	DESCRIPTION/ECD NO.	DATE
A	RELEASE	12/5/03
B	CHANGE MOLEX TO TIN PLTG	3/24/04

NOTES:
 1) DETAIL #4-PVC SLEEVING MUST BE CAPTURED IN CRIMP TERMINALS 2 PLACES
 2) COMPLETED CABLES TO BE INDIVIDUALLY BAGGED AND LABELED WITH TEKNIC PART NUMBER AS BELOW.

IEX-IEX/CURRENT REV



J1/J2 Assignments		
COLOR	PIN	SIGNAL
WHT/DRN	1	+5V
WHT/GRN	2	GND
GRN	3	DATA IN
BLU	4	DATA OUT
DRN	5	CLK
WHT/BLU	6	LOAD
TIN	7	SHIELD

BILL OF MATERIALS

REF	QTY	DESCRIPTION	MFG/PART NUMBER
4	2	SLEEVING, CLR FOR 26 AVG WIRE	ALPHA/PVC-105-24 CLR
2	2	15" LENGTH	
3	2	HEATSHRINK TUBING, 1/4" DIA x .75" LENGTH, BLK	RAYCHEM/VERSAFIT 1/4-0
2	1	CABLE MARKING, WRAP-TYPE, 1" x 3/4" WHITE	BRADY/DAT-85-292-1 or PANDUIT/PDL-249-1
1	72'	CABLE, 26-8, CAT 5	MDHAWK-CDT/MS5162 or BERK-TEK/10035109
14		TERMINAL, FEMALE, 24-30 AVG	MOLEX/16-02-0096
2		CONNECTOR, C-GRID, 7 POS	MOLEX/50-57-9407

Teknic, Inc.

TOLERANCES UNLESS OTHERWISE SPECIFIED:	DATE	SCALE	DRAWN BY	MATERIAL	FINISH
ANGULAR ± 1°	1/10/04	NONE	JW	See BDM	NA

6	5	4	3	2	1
---	---	---	---	---	---